



EFD Type

POWER
TRANSFORMER
CORES





MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EFD 0905	9.6±0.15	4.6±0.1	2.2±0.1	4.0±0.1	1.15±0.1	7.35±0.15	3.0±0.1	1.6
	EFD 1515	15.0±0.4	7.5±0.15	4.65±0.15	5.3±0.15	2.4±0.15	11.0±0.35	5.5±0.25	2.0
	EFD 2020	20.0±0.55	10.0±0.15	6.65±0.15	8.9±0.2	3.6±0.15	15.4±0.5	7.7±0.25	2.3
	EFD 2020N	20.5±0.4	10.2±0.1	6.65±0.2	8.9±0.2	3.6±0.15	15.9±0.3	7.95±0.2	2.25
	EFD 2525	25.0±0.6	12.5±0.15	9.1±0.2	11.4±0.2		18.7±0.6	9.3±0.25	3.2
	EFD2525N	25.6±0.65	12.5±0.15	9.1±0.2	11.3±0.2	5.15±0.2	19.3±0.4	9.3±0.25	3.2
	EFD 3030	30.2±0.6	12.5±0.15	9.1±0.2	14.6±0.25	4.9±0.15	22.4±0.55	11.4±0.3	4.8
	EFD 3130	31.2±0.5	15.0±0.2	9.1±0.2	14.6±0.25	4.9±0.15	23.5±0.3	11.2±0.3	4.8

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EFD 0905	19.9	4.9	97.5	4.08	460				
	EFD 1515	34.0	15.0	510	2.27	900				
	EFD 2020	47.0	31.0	1457	1.52	1500				
	EFD 2020N	48.8	33.3	1625	1.47	1300				
	EFD 2525	57.0	58.0	3306	0.98	2300				
	EFD2525N	57.0	58.0	3306	1.0	2210				
	EFD 3030	68.0	69.0	4692	0.99	2255				
	EFD 3130	68.0	69.1	4712	0.99	1800				

EFD Type

POWER
TRANSFORMER
CORES





MODEL		DIMENSION (mm)							
		A	B	C	D	D ₁	E	F	T ₂
Part No	EFD 3244	31.8±0.5	22.0±0.15	5.1±0.15	15.35±0.3	31.5±0.1	21.6min	17.0±0.15	
	EFD 3443	33.7±0.3	21.4±0.2	5.0±0.2	17.0±0.2	3.1±0.1	23.7±0.5	16.4±0.2	
	EFD 3444	33.7±0.5	22.0±0.2	5.4±0.2	17.0±0.2		23.7±0.3	16.5±0.2	
	EFD 3445	33.9±0.5	22.5±0.3	4.85±0.15	17.0±0.2	3.1±0.1	23.9±0.4	17.4±0.3	
	EFD 4350	42.6±0.7	25.2±0.2	5.0±0.2	20.3±0.3		29.8±0.7	18.7±0.2	
	EFD 4351	43.0±0.5	26.3±0.15	6.7±0.15	21.6±0.3		28.15±0.45	18.5±0.15	

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YP3	YP4	YH8	YH10
Part No	EFD 3244	105.1	49.4	5189				1600		
	EFD 3443	104.7	51.4	5376			1400			
	EFD 3444	104.7	56.8	5941			1500			
	EFD 3445	109.1	50.0	5454						
	EFD 4350	123.1	64.5	7940						
	EFD 4351	123.2	98.5	12136						

EPC Type

POWER
TRANSFORMER
CORES





MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EPC 9.6	9.6±0.15	4.7±0.15	3.05±0.15	4.5±0.1		7.9min	3.25 ^{+0.15} _{-0.1}	1.45
	EPC 9.9	9.9±0.15	2.35±0.1	6.5±0.15	4.4±0.1		6.5±0.15	1.25±0.1	1.1
	EPC 13	12.2±0.3	6.1±0.1	9.4±0.2	4.2±0.15		10.0±0.2	4.6±0.1	1.5
	EPC 1313	13.3±0.3	6.5±0.1	4.6±0.15	5.6±0.15	2.05±0.1	8.3min	4.5±0.2	2.0
	EPC 15.0	15.0±0.2	9.7±0.1	5.15±0.15	5.85±0.1	3.05±0.1	11.25min	7.10±0.15	2.6
	EFC 16A220	16.0±0.3	7.3±0.15	7.5±0.2	5.8±0.1	4.8±0.1	9.7min	5.4±0.1	1.9
	EPC 1620	16.4±0.3	10.0±0.2	4.5±0.15	6.7±0.15	2.35±0.1	12.6min	8.3±0.2	1.7

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EPC 9.6	20.2	5.0	100.5	4.04	490				
	EPC 9.9	13.2	7.3	9.64	1.089	320				
	EPC 13	23.2	10.1	234	2.297					
	EPC 1313	30.6	12.5	382.5	2.44	870				
	EPC 15.0	35.2	23.8	837.8	1.48	1000				
	EFC 16A220	33.5	25.7	860.9	1.3	1150				
	EPC 1620	37.6	14.3	537.6	2.36	1000				

EPC Type

POWER
TRANSFORMER
CORES





MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EPC 16.4	16.4±0.3	9.0±0.2	4.5±0.15	6.7±0.15	2.35±0.1	12.6min	7.3±0.2	1.7
	EPC 1716	16.8±0.3	7.7±0.1	5.75±0.2	7.7±0.15	2.8±0.15	13.5min	5.3±0.15	2.4
	EPC 1716S	17.6±0.4	8.0±0.2	6.0±0.15	7.7±0.15	2.8±0.1	14.3min	5.5±0.2	2.5
	EPC 1717	16.8±0.3	8.55±0.1	5.75±0.2	7.7±0.15	2.8±0.15	13.5min	6.05±0.15	2.5
	EPC 1920	19.0±0.3	8.9±0.2	8.3±0.2	6.6±0.1	5.3±0.1	11.0min	6.5±0.1	2.4
	EFC 1920W	19.2±0.5	8.9±0.2	8.3±0.2	6.6±0.1	5.3±0.1	15.0min	6.8±0.2	2.1
	EPC 19.5	19.5±0.48	9.75±0.2	6.0±0.15	8.4±0.2	2.40±0.15	13.3min	7.25±0.2	2.5

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EPC 16.4	38.7	21.0	812.7	1.84	1400				
	EPC 1716	39.0	22.4	873.6	1.74	1400				
	EPC 1716S	38.7	21.0	812.7	1.84	1400				
	EPC 1717	39.0	22.4	873.6	1.74	1400				
	EPC 1920	40.4	32.2	1300.8	1.25	1600				
	EFC 1920W					1600				
	EPC 19.5	46.4	22.0	1020.8	2.11	1100				

EPC Type

POWER
TRANSFORMER
CORES




MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EPC 19.8	19.9±0.4	9.75±0.2	6.0±0.2	8.4±0.2	2.4±0.15	13.4min	7.25±0.2	2.5
	EPC 21.9	22.2±0.4	14.4±0.2	7.3±0.15	9.5±0.15	4.2±0.1	16.5min	11.4±0.15	3.0
	EPC 2525	24.15±0.45	12.5±0.2	8.0±0.2	11.4±0.2	4.0±0.1	17.5±0.5	9.0±0.3	3.5
	EPC 2526	25.1±0.5	12.85±0.2	8.0±0.2	11.4±0.2	3.95±0.15	17.5±0.5	9.35±0.2	3.5
	EPC 26	26.15±0.4	12.6±0.2	8.9±0.2	11.7±0.3	5.0±0.1	17.9±0.5	9.0±0.2	3.6
	EPC 2625	26.2±0.35	12.6±0.2	7.9±0.2	11.7±0.3	5.0±0.1	11.7±0.3		
	EFC 27	27.1±0.48	16.0±0.2	8.0±0.2	13.0±0.3	4.0±0.1	19.0±0.5	12.0±0.2	4.0
	EPC 2732	26.1±0.48	16.0±0.2	8.0±0.2	13.0±0.3	4.0±0.1	19.0±0.5	12.0±0.3	4.0

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EPC 19.8	44.7	24.5	1095	1.83	1500				
	EPC 21.9	63.4	36.7	2326.7	1.73	1400				
	EPC 2525	59.2	46.4	2747	1.27	1600				
	EPC 2526	59.9	46.4	2779.3	1.29	1600				
	EPC 26	58.3	56.7	3305.6	1.03	1570				
	EPC 2625	61.8	60.2	3720	1.03	1600				
	EFC 27	72.3	50.5	3651.1	1.43	1650				
	EPC 2732	70.1	49.1	3808	1.43	1540				

EEA Type

POWER
TRANSFORMER
CORES




MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EEA 13.6	13.6±0.3	8.8±0.2	3.7±0.15	5.9±0.15	1.95±0.15	10.1min	7.0±0.2	1.8
	EEA 15.3	15.3±0.3	9.0±0.2	3.7±0.15	6.5±0.15	1.95±0.15	11.6min	7.2±0.2	1.8
	EEA 1614A	16.0±0.3	7.25±0.2	4.8±0.2	6.0±0.15	2.4±0.1	11.8min	5.05±0.20	2.2
	EEA 1720	17.7±0.3	10.2±0.2	5.1±0.15	7.5±0.3	2.9±0.1	13.1min	7.9±0.1	2.3
	EEA 1722	17.7±0.3	10.9±0.2	5.6±0.15	7.5±0.3	3.4±0.1	13.1min	8.6±0.2	2.3
	EEA 17.5	17.7±0.3	7.2±0.2	4.8±0.2	6.0±0.15	3.8±0.1	12.2min		
	EEA 17.7	17.7±0.3	10.2±0.1	5.6±0.15	7.5±0.15	3.4±0.15	13.1min	7.8±0.2	2.4
	EEA 17.7N	17.7±0.3	10.2±0.1	5.1±0.15	7.5±0.3	2.9±0.1	13.1min	7.9±0.1	2.3

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EEA 13.6	38.6	12.3	474.7	3.13	700				
	EEA 15.3	40.0	13.8	552	2.9	800				
	EEA 1614A	35.2	17.1	602	2.06	900				
	EEA 1720	53.4	25.5	1361	2.1	1250				
	EEA 1722	51.6	25.6	1320	2.2	1280				
	EEA 17.5	51.6	25.6	1320	2.2	1050				
	EEA 17.7	45.3	25.9	1173	1.75	1250				
	EEA 17.7N	45.3	22.9	1037.4	1.97	1140				

EEA Type

POWER
TRANSFORMER
CORES




MODEL		DIMENSION (mm)							
		A	B	C	D	D1	E	F	T2
Part No	EEA 20.8	20.8±0.3	12.1±0.	4.35±0.15	8.4±0.	2.77±0.07	15.0±0.2	9.1±0.2	3.0
	EEA 21.2	21.2±0.4	11.8±0.2	5.9±0.15	9.4±0.2	3.3±0.1	15.8min	9.2±0.2	2.6
	EEA 2125	21.2±0.4	12.5±0.2	5.9±0.15	9.4±0.2	3.3±0.1	15.8min	9.9±0.15	2.6
	EEA 2126	21.2±0.4	12.9±0.2	5.9±0.15	9.35±0.1	3.3±0.1	15.8min	10.3±0.15	2.6
	EEA 21.8	21.8±0.4	12.2±0.15	4.3±0.1	9.4±0.2	2.8±0.1	15.4min	9.1±0.2	3.1
	EEA 22.6	22.6±0.3	11.9±0.15	7.0±0.15	9.4±0.2	4.4±0.1	16.6min	9.0±0.15	2.9


MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)				
						YP2	YN2	YH5	YH8	YH10
Part No	EEA 20.8	52.1	21.5	11.2	2.424	1200				
	EEA 21.2	53.1	31.3	1662	1.7	1400				
	EEA 2125	57.2	31.2	1790	1.83	1400				
	EEA 2126	61.4	33.3	2044	1.84	1400				
	EEA 21.8	26.7	61.2	1634	2.29	1400				
	EEA 22.6	61.2	37.1	2270	0.68	1930				

EP/RS Type


POWER TRANSFORMER CORES



Type 1



Type 1



MODEL		DIMENSION (mm)									
		A	B	C	D	E	F	K	A ₁	B ₁	C ₁
Part No.	UI 9.8	23.7±0.2	9.8±0.2	3.5±0.1	19.3±0.3	7.35±0.15	5.7±0.1	1.3±0.05	24.3±0.25	4.4±0.1	2.0±0.03
	UI 11.7	20.85±0.17	11.675±0.225	3.5±0.1	16.2±0.15	8.8±0.15	7.1±0.1	1.3±0.1	21.6±0.2	5.5±0.15	1.8±0.05
	UI 12.3	22.1±0.2	12.45±0.2	4.8±0.1	15.1±0.12	8.9±0.12	7.15±0.1	1.5±0.05	22.7±0.2	4.6±0.1	3.55±0.05
	UI 13	22.2±0.2	13.2±0.15	4.5±0.1	15.2 ^{+0.2} _{-0.1}	9.6±0.15	7.0±0.15	1.54±0.05	23.0±0.25	5.35±0.15	3.05±0.05
	UI 14.6	26.75±0.2	14.6±0.25	4.7±0.1	19.75±0.15	10.4±0.2	9.2±0.1	1.5±0.1	27.3±0.3	6.0±0.2	3.45±0.05

MODEL		Le(mm)	Ae(mm ²)	Ve(mm ³)	C ₁ (mm)	AL Value(nH/N ²)					Type
						YP2	YP3	YH5	YH8	YH10	
Part No.	UI 9.8	44.9	7.45	334.5	6.03	370					2
	UI 11.7	40.82	10.08	411.5	4.05	420					1
	UI 12.3	52.3	16.7	873	3.13		590				1
	UI 13	52.73	14.52	765.8	3.64		600				1
	UI 14.6	53.73	21.8	1133	2.55		700				1